

Refine Search

Search Results -

Terms	Documents
L98 and L117	2

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L120

Search History

DATE: Thursday, March 08, 2007

[Purge Queries](#)[Printable Copy](#)[Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
	<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>		
<u>L120</u>	L98 and L117	2	<u>L120</u>
<u>L119</u>	L112 and L117	0	<u>L119</u>
<u>L118</u>	service adj level adj agreement and L117	1	<u>L118</u>
<u>L117</u>	L115 or L116	10	<u>L117</u>
	<i>DB=PGPB; PLUR=YES; OP=OR</i>		
<u>L116</u>	(20020078285 or 20020194324)	2	<u>L116</u>
	<i>DB=USPT; PLUR=YES; OP=OR</i>		
<u>L115</u>	(5617570 or 5682534 or 5751638 or 5970510 or 6041379 or 6338146 or 6345327 or 6356949).pn.	8	<u>L115</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L114</u>	service adj level adj agreement and L113	40	<u>L114</u>
<u>L113</u>	remote adj procedure adj call and L112	528	<u>L113</u>
<u>L112</u>	passing near messages	8447	<u>L112</u>

<u>L111</u>	service adj level adj agreement and L110	5	<u>L111</u>
<u>L110</u>	(application or thread or process) near (push and pull or subscribe and publish\$)	289	<u>L110</u>
<u>L109</u>	service adj level adj agreement and L108	3	<u>L109</u>
<u>L108</u>	(push and pull) with (mailbox or mailslot or queue or buffer or shared adj memory)	1466	<u>L108</u>
<u>L107</u>	(push and pull) near (mailbox or mailslot or queue or buffer or shared adj memory)	38	<u>L107</u>
<u>L106</u>	service adj level adj agreement and L105	24	<u>L106</u>
<u>L105</u>	releas\$3 near (mailbox or mailslot or queue or buffer or shared adj memory)	3610	<u>L105</u>
<u>L104</u>	service adj level adj agreement and L103	0	<u>L104</u>
<u>L103</u>	synchronous\$2 near (mailbox or mailslot or queue or buffer or shared adj memory)	715	<u>L103</u>
<u>L102</u>	releas\$3 near exclusive	0	<u>L102</u>
<u>L101</u>	releas\$3 near exclusive near access	0	<u>L101</u>
<u>L100</u>	(mail\$1 box or mail\$1 slot) near header	16	<u>L100</u>
<u>L99</u>	L97 and L98	18	<u>L99</u>
<u>L98</u>	(asynchronous\$3 or synchronous\$3) near (application or process or thread)	5679	<u>L98</u>
<u>L97</u>	service adj level adj agreement and L96	497	<u>L97</u>
<u>L96</u>	L93 or L95	48366	<u>L96</u>
<u>L95</u>	(711/147 711/148 711/149).ccls.	1902	<u>L95</u>
<u>L94</u>	service adj level adj agreement and L93	495	<u>L94</u>
<u>L93</u>	L89 or L90 or L91 or L92	46821	<u>L93</u>
<u>L92</u>	(719/311 719/312 719/313 719/314 719/315 719/316 719/317 719/318).ccls.	3326	<u>L92</u>
<u>L91</u>	(718/101 718/102 718/103 718/104 718/106).ccls.	3609	<u>L91</u>
<u>L90</u>	(709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/212 709/213 709/214 709/215 709/216 709/217 709/218 709/219).ccls.	24866	<u>L90</u>
<u>L89</u>	(705/1 705/2 705/3 705/4 705/5 705/6 705/7 705/8 705/9 705/10).ccls.	16765	<u>L89</u>
<u>L88</u>	service adj level adj agreement and L87	73	<u>L88</u>
<u>L87</u>	(asynchronous\$3 or synchronous\$3) with (mail\$1 slot or mail\$1 box or queue or buffer or ((shared or common) near (address or memory)))	17145	<u>L87</u>
<u>L86</u>	service adj level adj agreement and L85	1	<u>L86</u>
<u>L85</u>	(asynchronous\$3 or synchronous\$3) near (mail\$1 slot or mail\$1 box or queue or buffer or ((shared or common) near (address or memory)))	1510	<u>L85</u>
<u>L84</u>	L70 and L83	65	<u>L84</u>
<u>L83</u>	push and pull and mailbox	810	<u>L83</u>
<u>L82</u>	push and pull and mail\$slot and mailbox	1	<u>L82</u>
	<i>DB=TDDB,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR</i>		
<u>L81</u>	XU-JIAN!	56	<u>L81</u>
<u>L80</u>	PANDEY-PRASHANT!	7	<u>L80</u>
<u>L79</u>	MENON-RAMACHANDRAN-GOPALAKRISHNA!	4	<u>L79</u>
<u>L78</u>	LEE-TZONGYU-PAUL!	3	<u>L78</u>

<u>L77</u>	JADAV-DIVYESH!	16	<u>L77</u>
<u>L76</u>	CHAMBLISS-DAVID-DARDEN!	9	<u>L76</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L75</u>	L70 and L74	69	<u>L75</u>
<u>L74</u>	access near (buffer or queue or mail\$slot or mail\$1box)	7479	<u>L74</u>
<u>L73</u>	L70 and L72	4	<u>L73</u>
<u>L72</u>	((process or thread) near access) with (buffer or queue or mail\$slot or mail\$1box)	599	<u>L72</u>
<u>L71</u>	L69 and L70	0	<u>L71</u>
<u>L70</u>	service near level near agreement	3481	<u>L70</u>
<u>L69</u>	((exclus\$3 or protect\$3) near access) with (buffer or queue or mail\$slot or mail\$1box))	69	<u>L69</u>
<u>L68</u>	(remote adj procedure adj call) and L67	33	<u>L68</u>
<u>L67</u>	service adj level adj agreement and L66	126	<u>L67</u>
<u>L66</u>	((application or process or thread) near ((common or shared) near (memory or address) or mail\$1slot or mailbox or queue or buffer))	13016	<u>L66</u>
<u>L65</u>	push and pull and L64	75	<u>L65</u>
<u>L64</u>	(remote adj procedure adj call or rpc) and L63	190	<u>L64</u>
<u>L63</u>	service adj level adj agreement and L62	1532	<u>L63</u>
<u>L62</u>	((application or process or thread) near ((common or shared) near (memory or address)) or mail\$1slot or mailbox or queue or buffer)	999354	<u>L62</u>
<u>L61</u>	((application or process or thread) near ((common or shared) near (memory or address)) or mail\$1slot or queue or buffer)	989293	<u>L61</u>
<u>L60</u>	service adj level adj agreement and L59	7	<u>L60</u>
<u>L59</u>	((first near (application or process or thread)) near ((common or shared) near (memory or address)) or mail\$1slot or queue or buffer) with (second near (application or process or thread))	1380	<u>L59</u>
<u>L58</u>	(mail\$1slot or mail\$1box or queue or buffer or ((shared or common) near (address or memory))) and L53	33	<u>L58</u>
<u>L57</u>	L53 and L56	1	<u>L57</u>
<u>L56</u>	access near (mail\$1slot or mail\$1box or queue or buffer or ((shared or common) near (address or memory)))	11442	<u>L56</u>
<u>L55</u>	L53 and L54	4	<u>L55</u>
<u>L54</u>	shared near (mail\$1slot or mail\$1box or queue or buffer) or ((shared or common) near (address or memory))	45165	<u>L54</u>
<u>L53</u>	(sla or service adj level adj agreement) near server	61	<u>L53</u>
<u>L52</u>	L50 and L51	6	<u>L52</u>
<u>L51</u>	synchronous\$3 near (mail\$1slot or mail\$1box or queue or buffer) or synchronous\$3 near ((shared or common) near address or memory)	5535	<u>L51</u>
<u>L50</u>	service adj level adj agreement and L49	2229	<u>L50</u>
<u>L49</u>	shared near (mail\$1slot or mail\$1box or queue or buffer) or ((shared or common) near address or memory)	2014795	<u>L49</u>
<u>L48</u>	L40 and L47	69	<u>L48</u>
<u>L47</u>	L35 and L46	261	<u>L47</u>

<u>L46</u>	access near (mail\$1slot or mail\$1box or queue or buffer or ((shared or common) near address or memory))	357940	<u>L46</u>
<u>L45</u>	service adj level adj agreement and L43	3	<u>L45</u>
<u>L44</u>	L35 and L43	1	<u>L44</u>
<u>L43</u>	exclusive near access with (mail\$1slot or mail\$1box or queue or buffer or ((shared or common) near address or memory))	1039	<u>L43</u>
<u>L42</u>	L41 and service adj level adj agreement	44	<u>L42</u>
<u>L41</u>	remote adj procedure adj call and L40	428	<u>L41</u>
<u>L40</u>	inter near process near communication	3438	<u>L40</u>
<u>L39</u>	remote adj procedure adj call and L38	1	<u>L39</u>
<u>L38</u>	(queue or buffer or ((shared or common) near address or memory)) near (header or parameter) and service near level near agreement	88	<u>L38</u>
<u>L37</u>	mail\$1slot near (header or parameter)	1	<u>L37</u>
<u>L36</u>	remote adj procedure adj call and L35	43	<u>L36</u>
<u>L35</u>	(modif\$6 or alter\$6 or chang\$3 or updat\$3 or writ\$3 or read\$3) near (mail\$1slot or mail\$1box or queue or buffer or ((shared or common) near address or memory))and service near level near agreement	433	<u>L35</u>
<u>L34</u>	L33 and service near level near agreement	5	<u>L34</u>
<u>L33</u>	exclusive near (mail\$1slot or mail\$1box or queue or buffer or ((shared or common) near address or memory))	1685	<u>L33</u>
<u>L32</u>	(mail\$1slot or mail\$1box) and L31	39	<u>L32</u>
<u>L31</u>	remote adj procedure adj call and service near level near agreement	142	<u>L31</u>
<u>L30</u>	remote adj procedure adj call and L29	42	<u>L30</u>
<u>L29</u>	push and pull and L27	72	<u>L29</u>
<u>L28</u>	(sla or service near level near agreement) and L27	32	<u>L28</u>
<u>L27</u>	access near (mail\$1slot or mail\$1box)	708	<u>L27</u>
<u>L26</u>	(sla or service near level near agreement) and L25	2	<u>L26</u>
<u>L25</u>	shared near (mail\$1box or mail\$1slot)	89	<u>L25</u>
<i>DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR</i>			
<u>L24</u>	NEIMAN-STEVEN!	9	<u>L24</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L23</u>	service adj level adj agreement and L22	61	<u>L23</u>
<u>L22</u>	(pointer or handle) near (queue or buffer or mailbox or mailslot or shared near memory)	8462	<u>L22</u>
<u>L21</u>	service adj level adj agreement and L20	13	<u>L21</u>
<u>L20</u>	grant\$3 near (queue or buffer or mailbox or mailslot or shared near memory)	488	<u>L20</u>
<u>L19</u>	service adj level adj agreement and L18	2	<u>L19</u>
<u>L18</u>	grant\$3 near access with (queue or buffer or mailbox or mailslot or shared near memory)	848	<u>L18</u>
<u>L17</u>	L15 and L16	11	<u>L17</u>
<u>L16</u>	collect\$3 near performance near data	911	<u>L16</u>
<u>L15</u>	service adj level adj agreement and pass\$3 near messag\$3	268	<u>L15</u>
	(queu\$4 or buffer or mailbox) and service adj level adj agreement and stor\$3		

<u>L14</u>	adj mail	3	<u>L14</u>
<u>L13</u>	((shared or common) near (address or memory)) and service adj level adj agreement and stor\$3 adj mail	1	<u>L13</u>
<u>L12</u>	((shared or common) near (address or memory)) and lock\$3 and service adj level adj agreement and stor\$3 near mail	10	<u>L12</u>
<u>L11</u>	L7 and L9	68	<u>L11</u>
<u>L10</u>	service adj level adj agreement and L9	66	<u>L10</u>
<u>L9</u>	lock\$3 and messag\$3 near pass\$3 and messag\$3 near (queue\$3 or buffer)	1172	<u>L9</u>
<u>L8</u>	service adj level adj agreement and L7	3	<u>L8</u>
<u>L7</u>	(lock\$3) near (queue or buffer or mailbox or mailslot)	1583	<u>L7</u>
<u>L6</u>	service adj level adj agreement and L5	2	<u>L6</u>
<u>L5</u>	exclusive near (lock\$3 or access) with (queue or buffer or mailbox or mailslot)	320	<u>L5</u>
<u>L4</u>	sla near server	30	<u>L4</u>
<u>L3</u>	L1 and L2	65	<u>L3</u>
<u>L2</u>	performance near (data or information) with (collect\$3 or analy\$5 or monitor\$3 or gather\$3)	7968	<u>L2</u>
<u>L1</u>	sla near service	418	<u>L1</u>

END OF SEARCH HISTORY